

# ● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>09/964650</u>	Examiner : <u>WJ</u>	GAU : <u>1756</u>
From : <u>PAP</u>	Location : <u>(DC) FMF FDC</u>	Date : <u>2/21/05</u>
Tracking # : <u>06060209</u>		Week Date : <u>1/3/05</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input checked="" type="checkbox"/> SPEC	<u>9/28/2001</u>	

[RUSH] MESSAGE: Please supply a clearer copy of the specification. Some data is illegible due to scanning and there are hard to read examiners' markings on specification pages 16 and 17.

Thank you.

[XRUSH] RESPONSE: Clear copy of specification is provided herewith.

INITIALS: WJ

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.  
REV 10/04